

# BQRR Series

## Round Reveal Designer Bollards LED Outdoor Lighting



### SPECIFICATIONS

<b>Voltage</b>	120-277 VAC
<b>Wattage</b>	16W / 25W
<b>Color Temp</b>	3000 / 4000 / 5000 Kelvin
<b>Housing</b>	Extruded aluminum housing with sealed driver compartment.
<b>Finish</b>	Powder-coat finish over chromate conversion coating.
<b>Color</b>	Architectural bronze / black / custom
<b>Lens</b>	Clear UV-stabilized polycarbonate
<b>Lifetime</b>	187,000 hrs L70 (@ 25°C/77°F)
<b>Ambient Temperature</b>	-40°C (-40°F) to 50°C (122°F)
<b>Protection</b>	IP66
<b>Warranty</b>	5 Year Limited Warranty

#### LUMENS

Kelvin	16W	25W
3000K	1,532 lm	2,298 lm
4000K	1,662 lm	2,493 lm
5000K	1,731 lm	2,597 lm

### PRODUCT ORDERING SELECTION

<b>BQRR</b> - <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <b>CA</b> <input type="text"/>	- <b>U</b> <input type="text"/>	- <input type="text"/>	- <input type="text"/>
<b>Series</b>	<b>Watts</b>	<b>Kelvin</b>	<b>Lens</b>	<b>Voltage</b>	<b>Body Color</b>	<b>Options / Accessories</b>
<input checked="" type="checkbox"/> BQRR	<input type="checkbox"/> 016 - 16W <input type="checkbox"/> 025 - 25W	<input type="checkbox"/> 30 - 3000K <input type="checkbox"/> 40 - 4000K <input type="checkbox"/> 50 - 5000K	<input type="checkbox"/> CA - Clear Array	<input checked="" type="checkbox"/> U - 120-277VAC	<input type="checkbox"/> Z - Bronze <input type="checkbox"/> B - Black <input type="checkbox"/> C - Custom	<input type="checkbox"/> SF - Single Fuse <input type="checkbox"/> DF - Double Fuse <input type="checkbox"/> SP - Surge Protection <input type="checkbox"/> GF1 - GFCI Outlet 15A, 120V <input type="checkbox"/> BRK - Universal Retrofit Base Kit

Cat. #	Type
Notes	

### CERTIFICATIONS / RATINGS



### KEY FEATURES AND BENEFITS

This durable LED Bollard is designed to provide uniform ambient lighting while accenting any landscape. This round bollard with a flat top provides low glare and cost-effective pathway lighting for any location.

Solas Ray™ Designer Bollards become the featured addition to illuminate and accent landscaping, walkways, buildings, hospitals, office buildings, schools and parking areas. Anywhere security, visibility and safety is needed, ask for quality, demand performance and expect reliability from Solas Ray bollards.

- Includes mounting kit with 8" anchor bolts.
- Custom heights and colors are available upon request.
- 0-10V dimming driver.
- Buy American Act compliant.

#### Universal Retrofit Base Kit

Part Number: BRK



### WEIGHT, DIMENSIONS AND BUG RATING

#### WEIGHT

16 lb.

Custom heights available upon request.

#### BUG (Backlight / Uplight / Glare)

Wattage	B (Back)	U (Up)	G (Glare)
16W	1	3	1
25W	1	3	1

